

## Datasheet

Art.No. 70.350.1035.1

Hood BAS GOT GA 10 M20 A1

revos BASIC size 10 hood with threaded collar M20, lateral cable entry, double locking lever



|            |               |
|------------|---------------|
| Art.No.    | 70.350.1035.1 |
| EAN        | 4015573598478 |
| Order unit | 1 pieces      |

## Approvals



## Technical data

### General

|  |                     |
|--|---------------------|
| Housing material   | Aluminium           |
| Colour   | Grey                |
| Surface  | With powder coating |
| Degree of protection (IP)                                  | Other               |
| UV resistant   | Yes                 |
| Inflammability class of insulation material acc. with UL94 | Other               |
| Operating temperature range min.                           | -40 °C              |
| Operating temperature range max.                           | 120 °C              |

### Model

|                        |                       |
|------------------------|-----------------------|
| DIN-size               | 10                    |
| Model                  | male                  |
| Locking mechanism      | Double locking levers |
| Cable entry            | Sideways              |
| Type of cable          | Thread                |
| With cable screw gland | No                    |
| Thread size M          | 20                    |
| Thread size PG         |                       |
| Hinged lid             | No                    |
| EMC-version            | No                    |
| Length                 | 73 mm                 |
| Width                  | 43 mm                 |
| Height                 | 53 mm                 |

**Classification**

|            |          |
|------------|----------|
| ECLASS 8.1 | 27440202 |
| ETIM 6.0   | EC000437 |
| ETIM 5.0   | EC000437 |
| ETIM 4.0   | EC000437 |
| ETIM 3.0   | EC000437 |

Page: 3 of 3