

Datasheet

Art.No. 70.320.0628.0

Bottom BAS GUT GK 6 A

revos BASIC size 6 open-bottom base single locking lever



Art.No.	70.320.0628.0
EAN	4015573220027
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP65
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	6
Model	Equipment mounted (feed-through)
Locking mechanism	Single locking lever
Cable entry	None
Type of cable	None
With cable screw gland	No
Thread size PG	
Hinged lid	No
EMC-version	No
Length	80 mm
Width	43.5 mm
Height	28.9 mm

Classification

ECLASS 8.1	27440202
ETIM 6.0	EC000437
ETIM 5.0	EC000437
ETIM 4.0	EC000437
ETIM 3.0	EC000437

Drawings

70.320.0628.0 BAS 6UT GK 6 A

Bestellnummer / Order number: **70.320.0628.0**
Typ / Type: **6A**

Weitere Daten siehe KATALOG oder eKatalog - Additional data see CATALOG or eCatalog. www.wieland-electric.com

Bohrbild / Cut out

Bohrloch	Ø 3,2
Abstand	32
Abstand	35
Abstand	52
Abstand	70
Abstand	Ø 4,3 / M 6

GEHAUSEUNTERTEIL
Basisteil für offenes Gehäuse
OPEN HOUSING 3/2x 6