







THIRD ANGLE PROJECTION

MX103-5.0-XXP-XC


CHKD:	/	SIZE	FSCM NO.	DWG NO.	REV
DRFT:	/			DO NOT SCALE DRAWING	SHEET



PCB LAYOUT
S=1.5:1



SECTION:A-A



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

NOTES1:

1. Rated voltage/current : 250V / 18A
2. Torque value : M2.5 , 0.4N·m
3. Wire range : 2.5mm²

NOTES2:

1. Dimension shall be interpreted per ASME Y14.5-2009
2. Pitch : 5.0mm, Poles : N=02~XXP
3. Stripping length : 6~7mm
4. Withstanding voltage : AC2000V/1Min
5. Operating temperature: -40°C~+105°C

Total Pitch Tolerances in mm									Nominal dimension range in mm									⊥	=	—	//		
over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	all	over	over	over
30	53	70	90	115	150	250	350	500	0	30	53	70	90	115	150	200	250	10	all	0	100	150	
±0.18	±0.20	±0.25	±0.3	±0.35	±0.44	±0.60	±0.70	±0.85	±0.20	±0.25	±0.30	±0.35	±0.44	±0.55	±0.70	±0.80	±0.90	0.2	0.3	0.3	0.2	0.3	0.5
to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to