

Label holder BT and KS sticker with TA cover



Labelling of push-buttons and signal lamps

PRODUCT INFORMATION






Four different small assortments are available for low volumes:



- **S-BTK 22.5 assortment** consisting of: each 48x BTK 22.5; KS 15/27; TA 15/27 and self-tapping screws.
- **S-BTK 15/27 product range** consisting of: each 48x BT 15/27; KS 15/27; TA 15/27 and self-tapping screws.

25/27 and self-tapping screws.

- **S-BTK 15/49 product range** consisting of: each 48x BT 15/49; KS 15/49; TA 15/49 and self-tapping screws.
- **S-BTK 15/67 product range** consisting of: each 48x BT 15/67; KS 15/67; TA 15/67 and self-tapping screws.



SPECIFICATIONS

-  BT: Polyvinyl chloride (PVC)
KS and TA: Polycarbonate (PC)
-  BTK with adhesive 9088
-  -40 – 80 °C
-  V0
-  Single-line and multi-line inscription

Type	Order No.	Colour	Pack qty.
S-BTK 22.5	86441610	Sortiment	48
S-BTK 15/27	86441612	Sortiment	48
S-BTK 15/49	86441614	Sortiment	48
S-BTK 15/67	86441616	Sortiment	48


MATERIAL PROPERTIES

-  BT: Polyvinyl chloride (PVC)
KS and TA: Polycarbonate (PC)
-  BTK with adhesive 9088


THERMAL PROPERTIES

-  **Temperature / temperature range**
-40 – 80 °C

FIRE BEHAVIOUR

-  **Fire classification**
V0

GENERAL TECHNICAL DATA

-  Single-line and multi-line inscription

Label holder BT and KS sticker with TA cover

INSTALLATION METHOD



Riveting system



Screw-fastening system

All details given in our sales material prospectuses and catalogues as well as the information available online are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID_60995~20170628~890286~acs_mod_bt_sort